


EAGLE 5



SPECIFICATIONS

WING AREA:23.5dm²

LENGTH:950MM


WING SPAN:1700MM




HOBBY SQUADRON LTD.

NO.209,Jinghe E.St.,Beitun District,
Taichung City 40642, Taiwan (R.O.C.)
TEL:886-4-24380007 FAX:886-4-24377500
<http://www.ty1.com.tw> E-mail: service@ty1.com.tw

EAGLE 5 KIT CONTENT



- | | |
|----------------------------|------------------------------|
| 1. WING - 1 | 8. MOTOR MOUNT - 1 |
| 2. FUSELAGE - 1 | 9. ELEVATOR HORN - 1 |
| 3. STABILIZER - 1 | 10. ELEVATOR SERVO COVER - 1 |
| 4. AILERON HORN - 2 | 11. AILERON SERVO COVER - 2 |
| 5. 3 x 16 MM CAP SCREW - 2 | 12. ELEVATOR PUSH ROD - 1 |
| 6. 3 x 10 MM SCREW - 2 | 13. AILERON PUSH ROD - 2 |
| 7. 3 x 12 MM SCREW - 1 | |






Other parts to complete this airplane (need to purchase separately.)

BRUSHLESS MOTOR O.D.:28 KV:4400 RPM:7600 MAX.C.:48 (#6400)
 BATTERY
 SPEED CONTROLLER - 50 AMPS (#9513)
 PROPELLER- 12 x 8 FLODING PROPELLER (#7639)
 RADIO - 4 CHANNEL 3 SERVO (#5155) + ESC




Side thrust : 0 degree
 Down thrust : 0 degree

Wrap the servo with shrink tube and glue it to servo mount section with silicone glue.





Screw the brass aileron horn into the pre-drilled hole on aileron and glue it with super glue.



Refer to the drawings for elevator servo push rod installation.

